



# OV<sup>®</sup>-17 (50% Diphenyl, 50% Dimethylpolysiloxane)

## Features


- Midpolarity Phase
- 50% Diphenyl, 50% Dimethylpolysiloxane
- Bonded and Crosslinked
- Solvent Rinsable
- Equivalent to USP-G3

## Applications

- Herbicides
- Steroids
- Drug Screening

## Similar Phases

- DB-17
- HP-17
- HP-50
- Rtx-50
- AT-50
- ZB-50
- SPB-50
- CP-Sil 24
- SP-2250



ID	Film Micron	Temperature Limit (Celsius)	15 Meter	30 Meter
0.25 mm	0.15	0 to 300/320	1715-2500	1730-2500
0.25 mm	0.25	0 to 300/320	1715-2502	1730-2502
0.25 mm	0.50	0 to 290/310	1715-2503	1730-2503
0.32 mm	0.15	0 to 300/320	1715-3200	1730-3200
0.32 mm	0.25	0 to 300/320	1715-3202	1730-3202
0.32 mm	0.50	0 to 290/310	1715-3203	1730-3203
0.32 mm	1.00	0 to 280/300	1715-3204	1730-3204
0.53 mm	0.50	0 to 270/290	1715-5303	1730-5303
0.53 mm	1.00	0 to 260/280	1715-5304	1730-5304

