



Funnels, separating, pear-shape, glass key, stem with cone



- Complies with ISO 4800 type 2
- Funnel stem with cone to allow easy connection to Quickfit® flasks etc.
- Stopcock features interchangeable glass key

Product Code	Capacity (ml)	Stopcock bore mm	Cone size	Socket size	Pack qty.
D2/01	25	1.5	14/23	14/23	1
D2/11	50	1.5	14/23	14/23	1
D2/12	50	1.5	19/26	19/26	1
D2/21	100	1.5	14/23	14/23	1
D2/22	100	1.5	19/26	19/26	1
D2/31	250	2.5	14/23	24/29	1
D2/32	250	2.5	19/26	24/29	1
D2/42	500	4.0	19/26	24/29	1
D2/43	500	4.0	24/29	24/29	1
D2/62	1000	4.0	19/26	29/32	1



i For hollow glass stoppers, please refer to page 247.

Dreschel bottle heads, screwthread connections



- Complies with BS 2461
- Dreschel type
- With detachable plastic connectors for easy fitting of 9mm bore flexible tubing

Product Code	Cone size	Approx. stem length mm	To fit bottle	Pack qty.
MF28/3/125/SC	24/29	130	MF29/3/125	1
MF28/3/250/SC	24/29	175	MF29/3/250	1
MF28/3/500/SC	24/29	215	MF29/3/500	1

i Head and bottle should be ordered separately.





Dreschel bottle head, adjustable



- With screwthread joint which allows height adjustment of the dip tube and hence permits use with either 125ml or 250ml Dreschel bottles
- To fit MF29: series wash bottles

Product Code	Cone size	Thread size	Sidearm O.D. mm	Pack qty.
MF27/3/13	24/29	13	7	1

i Head and bottle should be ordered separately.



Dreschel bottle heads, sintered



- Complies with BS 2461
- Sintered dip tube disperses gas into bubbles for greater efficiency
- Choice of sinter porosities to achieve fine bubble size

Product Code	Porosity grade	Stem length mm	Sidearm O.D. mm	Cone size	To fit bottle	Pack qty.
MF48/03/125	0	132	8	24/29	MF29/3/125	1
MF48/03/250	0	165	8	24/29	MF29/3/250	1
MF48/03/500	0	217	8	24/29	MF29/3/500	1
MF48/13/125	1	132	8	24/29	MF29/3/125	1
MF48/13/250	1	165	8	24/29	MF29/3/250	1
MF48/13/500	1	217	8	24/29	MF29/3/500	1
MF48/23/250	2	165	8	24/29	MF29/3/250	1
MF48/23/500	2	217	8	24/29	MF29/3/500	1
MF48/33/250	3	165	8	24/29	MF29/3/250	1

i Heads and bottles should be ordered separately.
Finer porosity sinters, e.g. 2 and 3, provide smaller gas bubbles - though a greater pressure may be required.



Dreschel bottles



- For use with Quickfit® bottle heads
- Borosilicate glass for corrosion-free performance
- Robust construction

Product Code	Capacity (ml)	Socket size	Diameter across flat base	Overall height mm	Pack qty.
MF29/3/125	125	24/29	102	163	1
MF29/3/250	250	24/29	102	200	1
MF29/3/500	500	24/29	125	252	1



Hand/finger protectors, silicone rubber



- Ideal for safe handling of hot beakers, flasks etc.
- Capable of withstanding temperatures up to 250°C
- Also excellent for handling cold objects down to -57°C
- Contact surfaces are multi-studded for positive grip

Product Code	Description	Pack qty.
PGR402	Medium	1
PGR404	Small	1
PGR406	Finger	1

